

Polish National Radio
Symphony Orchestra based in Katowice
Wojciecha Kilara 1
40-202 Katowice, Poland

Adam Szymczyk
Head of Stage Services
e-mail: a.szymczyk@nospr.org.pl

About:

Seats: 283
Number of entrances for the public: 2
Stage area: 91m²

Chamber Hall

P.A. System:

The Chamber Sound System consists of "D&B Audiotechnik" components in the configuration:

- main array (Q1 5x per side)
- front fill (8s 4x)
- subwoofers (J-SUB 2x)
- F/X speakers (8s 1x per one side)
- amplifiers D&B (D6, D12)

The audio signals are distributed through the Stagetec NEXUS digital matrix.
Power terminals located in amplifiers at +1 level are powered by AES/EBU signal.

SOUND MIXER:

The Chamber Hall is equipped with a Yamaha CL3 sound mixer, located at the FOH position as a front console. The Yamaha CL3 supports 64 input channels, 24 mix buses and 8 matrix buses.

It is possible to attach 16 or 32 channel stage racks to each console. NPRSO is equipped with 3 Rio1608-D and Rio3224-D devices.

SIGNAL RECORDING:

It is also possible to play or record 64 signals between a computer and a mixer via the DANTE protocol.

OTHER:

If necessary, Acoustic Solution company screens and mobile absorbing-dispersing acoustic partitions are available.

We have a Shure four-channel wireless in-ear monitor (IEM) system.

For communication between technicians a Riedel intercom system based on stationary desktops and wireless sets with a handset and a microphone are provided.

LIGHT:

The system – ART-NET

Lighting console – Compulite Vector Violet
+ external wing

Sockets on stage 2xDMX 5-pin

2xEthernet

Power around stage – 32A

Follow spots 4 x Robert Juliat Victor 8-22 1800W HMI (we do not have our own operators!)



**THE USE OF ANY SMOKE OR SPARK
GENERATORS IS PROHIBITED!**

CHAMBER HALL BACKSTAGE:

Max spacing of the entrance corridors on the backstage 3m when opening the door 2.75m.

DRESSING ROOMS:

- 3 soloists dressing rooms on the ground floor
- 3 rehearsal rooms (adapted for ensemble) on the 3rd floor
- 4 soloists dressing rooms on the 3rd floor

BACK-END (technical) PARKING:

Courtyard size: 30m x 29m

Car max height: 4.2m

Two three-phase power supply points: 32A and 125A


- First board next to the doorman entrance
- Second board on the wall next to the loading lock


ELEVATOR:

Loading elevator size: 3.05m x 2.45m

INTERNET:

In the public and backstage parts of concert halls WI-FI is available.





OZNACZENIA:



Reflektor PC 1000W



Reflektor PC 2000W



Reflektor PAR 750W



Reflektor profilowy 1000W 8-22 stopni



Reflektor profilowy 2000W 8-22 stopni



Reflektor profilowy prowadzący 1200W 8-22 stopni



Gniazdo (obwody regulowane i nieregulowane)



Aparat efektowy MARTIN MAC Quantum Wash

- Spot 1: AN0.3 adr 1
- Spot 2: AN0.3 adr 34
- Spot 3: AN0.3 adr 67
- Spot 4: AN0.3 adr 100
- Spot 5: AN0.3 adr 133
- Spot 6: AN0.3 adr 166
- Spot 7: AN0.3 adr 199
- Spot 8: AN0.3 adr 232